ELSEVIER

Analytica Chimica Acta 513 (2004) 493–496

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author Index

Abrunhosa, L., see Serra, R. 41
Absalon, C., see Vivas, N. 247
Afifi, M.
—, Monje, M.-C., Legrand, V., Roustan, J.-P. and Nepveu, F.
Metabolisation of eutypine by plant tissues: an HPLC determination 21
Afonso, C.M.M., see Teixeira, M.J. 333
Aguiar, A., see Teixeira, M.J. 333
Aguiar, A., see Varandas, S. 351
Alamo Sanza, M.
—, Nevares Domínguez, I., Cárcel Cárcel, L.M. Navas Gracia, L. and Guimarâes, A.C.
Analysis for low molecular weight phenolic compounds in a red wine aged in oak chips 229
Alcalde-Eon, C.
—, Escribano-Bailón, M.T., Santos-Buelga, C. and Rivas-Gonzalo, J.C.
Separation of pyranoanthocyanins from red wine by column chromatography 305
Alves, A., see Ratola, N. 319
Alves, A., see Teixeira, M.J. 333
Alves, A., see Varandas, S. 351
Alves, M.A., see Câmara, J.S. 203
Amaral, A.J., see Oliveira, J.M. 269
Andrenšek, S., see Košir, I.J. 277
Anticó, E., see Juanola, R. 291
Araújo, I.M., see Oliveira, J.M. 269
Atanasova, V., see Salas, E. 325
Ayestarán, B.
—, Guadalupe, Z. and León, D.
Quantification of major grape polysaccharides (*Tempranillo* v.) released by maceration enzymes during the fermentation process 29

Bagheri, H.
—, Mohammadi, A. and Salemi, A.
On-line trace enrichment of phenolic compounds from water using a pyrrole-based polymer as the solid-phase extraction sorbent coupled with high-performance liquid chromatography 445
Bala, C., see Rotariu, L. 119
Balado, J., see González-Neves, G. 191
Barreiro, L., see González-Neves, G. 191, 197
Barroso, C.G., see Castro, R. 141
Barroso, C.G., see Piñeiro, Z. 209
Bastos, M.M.S.M., see Teixeira, M.J. 333
Bastos, M.M.S.M., see Varandas, S. 351
Baumbach, J.I., see Vautz, W. 393
Baumes, R., see Schneider, R. 91
Belchior, A.P., see Caldeira, I. 125
Benitez, P., see Castro, R. 141
Benítez, B., see Tesfaye, W. 239
Bertrand, A., see Vivas, N. 247
Blieke, A., see Patz, C.-D. 81
Bochicchio, R., see González-Neves, G. 191
Bruno de Sousa, R., see Caldeira, I. 125
Burgio, M., see Di Natale, C. 49

Caldeira, I.
—, Pereira, R., Cristina Clímaco, M., Belchior, A.P. and Bruno de Sousa, R.
Improved method for extraction of aroma compounds in aged brandies and aqueous alcoholic wood extracts using ultrasound 125
Câmara, J.S.
—, Herbert, P., Marques, J.C. and Alves, M.A.
Varietal flavour compounds of four grape varieties producing Madeira wines 203
Campíns-Falcó, P., see Herráez-Hernández, R. 425
Cao, X.-D.
—, Fang, Q. and Fang, Z.-L.
Miniaturized capillary electrophoresis system with ultraviolet photometric detection combined with flow injection sample introduction using a modified falling-drop interface 473
Carbonneau, A., see González-Neves, G. 191, 197
Cárcel Cárcel, L.M., see Alamo Sanza, M. 229
Carvalho, E.
—, Mateus, N. and de Freitas, V.
Flow nephelometric analysis of protein–tannin interactions 97
Carvalho, E., see Mateus, N. 135
Castellote, A.I., see Romeu-Nadal, M. 457
Castro, R.
—, Natera, R., Benitez, P. and Barroso, C.G.
Comparative analysis of volatile compounds of 'fino' sherry wine by rotatory and continuous liquid–liquid extraction and solid-phase microextraction in conjunction with gas chromatography-mass spectrometry 141
Cháfer-Pericás, C., see Herráez-Hernández, R. 425
Charamelo, D., see González-Neves, G. 191
Charrier, F., see Schneider, R. 91
Chen, S., see Zhang, Z. 417
Cheynier, V., see Salas, E. 325
Cheynier, V., see Vidal, S. 57
Clímaco, M. Cristina, see Caldeira, I. 125
Coimbra, M.A., see Rocha, S.M. 257
Compagnone, D., see Esti, M. 357
Compagnone, D., see Lupu, A. 67
Conceição Leandro, M., see Isabel Spranger, M. 151
Coutinho, P., see Rocha, S.M. 257
Cozzolino, D.
—, Kwiatkowski, M.J., Parker, M., Cynkar, W.U., Dambergs, R.G., Gishen, M. and Herderich, M.J.
Prediction of phenolic compounds in red wine fermentations by visible and near infrared spectroscopy 73
Cristina Clímaco, M., see Isabel Spranger, M. 151
Cynkar, W.U., see Cozzolino, D. 73

Da, S.-L., see He, H.-B. 481
Dambergs, R.G., see Cozzolino, D. 73
D'Amico, A., see Di Natale, C. 49
de Freitas, V., see Carvalho, E. 97
de Freitas, V., see Mateus, N. 135
De Freitas, V., see Pissarra, J. 215
de Gaulejac, N.V., see Vivas, N. 247

doi:10.1016/S0003-2670(04)00559-8

de la Guardia, M., see Iñón, F.A. 401
Deep, A., see Gupta, B. 463
Delgadillo, I.
—, Ducauze, C.J. and Rutledge, D.N.
IN VINO ANALYTICA SCIENTIA 2003 1
Delgadillo, I., see Rocha, S.M. 257
Delibato, E., see Esti, M. 357
Dewey, F.M.
— and Meyer, U.
Rapid, quantitative Tube immunoassays for on-site detection of *Botrytis*, *Aspergillus* and *Penicillium* antigens in grape juice 11
Di Natale, C.
—, Paolesse, R., Burgio, M., Martinelli, E., Pennazza, G. and D'Amico, A.
Application of metalloporphyrins-based gas and liquid sensor arrays to the analysis of red wine 49
Dietrich, H., see Patz, C.-D. 81
Duarte, A.C., see Esteves, V.I. 163
Ducauze, C.J., see Delgadillo, I. 1

Eiriz, N., see Isabel Spranger, M. 151
Escribano-Bailón, M.T., see Alcalde-Eon, C. 305
Esteves, V.I.
—, Lima, S.S.F., Lima, D.L.D. and Duarte, A.C.
Using capillary electrophoresis for the determination of organic acids in Port wine 163
Esti, M., see Tamborra, P. 299
Esti, M.
—, Volpe, G., Micheli, L., Delibato, E., Compagnone, D., Moscone, D. and Palleschi, G.
Electrochemical biosensors for monitoring malolactic fermentation in red wine using two strains of *Oenococcus oeni* 357
Eversole, J., see Peter Snyder, A. 365

Fang, Q., see Cao, X.-D. 473
Fang, Z.-L., see Cao, X.-D. 473
Farines, V.
—, Monje, M.-C., Telo, J.P., Hnawia, E., Sauvain, M. and Nepveu, F.
Polyphenols as superoxide dismutase modulators and ligands for estrogen receptors 103
Feng, Y.-Q., see He, H.-B. 481
Fernández-Pachón, M.S.
—, Villaño, D., García-Parrilla, M.C. and Troncoso, A.M.
Antioxidant activity of wines and relation with their polyphenolic composition 113
Ferrer, M., see González-Neves, G. 197
Fortunato, C., see Isabel Spranger, M. 151
Francis, L., see Vidal, S. 57
Franco, J., see González-Neves, G. 197

García-Parrilla, M.C., see Fernández-Pachón, M.S. 113
García-Parrilla, M.C., see Tesfaye, W. 239
Garcia Regueiro, J.A., see Juanola, R. 291
Garrigues, S., see Iñón, F.A. 401
Gatto, G., see González-Neves, G. 191
Gil, G., see González-Neves, G. 191, 197
Gishen, M., see Cozzolino, D. 73
González-Huerta, C., see Ortega-Heras, M. 341
González-Manzano, S.
—, Rivas-Gonzalo, J.C. and Santos-Buelga, C.
Extraction of flavan-3-ols from grape seed and skin into wine using simulated maceration 283
González-Neves, G.
—, Barreiro, L., Gil, G., Franco, J., Ferrer, M., Moutounet, M. and Carbonneau, A.
Anthocyanic composition of Tannat grapes from the south region of Uruguay 197
González-Neves, G.
—, Charamelo, D., Balado, J., Barreiro, L., Bochicchio, R., Gatto, G., Gil, G., Tessore, A., Carbonneau, A. and Moutounet, M.
Phenolic potential of Tannat, Cabernet-Sauvignon and Merlot grapes and their correspondence with wine composition 191
González-Paramás, A.M., see Pissarra, J. 215
González-Sanjosé, M.L., see Ortega-Heras, M. 341
Guadalupe, Z., see Ayestarán, B. 29
Guedes de Pinho, P., see Moreira, N. 183
Guedes de Pinho, P., see Silva Ferreira, A.C. 169
Guerrero, L., see Juanola, R. 291
Guimarâes, A.C., see Alamo Sanza, M. 229
Gupta, B.
—, Deep, A. and Malik, P.
Liquid–liquid extraction and recovery of indium using Cyanex 923 463

He, H.-B.
—, Zhang, W.-N., Da, S.-L. and Feng, Y.-Q.
Preparation and characterization of a magnesia–zirconia stationary phase modified with β-cyclodextrin for reversed-phase high-performance liquid chromatography 481
Herbert, P., see Câmara, J.S. 203
Herderich, M.J., see Cozzolino, D. 73
Herráez-Hernández, R.
—, Cháfer-Pericás, C. and Campíns-Falcó, P.
Analysis of methylamine by solid-phase microextraction and HPLC after on-fibre derivatization with 9-fluorenylmethyl chloroformate 425
Herrera, P., see Ortega-Heras, M. 341
Hnawia, E., see Farines, V. 103
Ho, J., see Peter Snyder, A. 365

Iñón, F.A.
—, Garrigues, S. and de la Guardia, M.
Nutritional parameters of commercially available milk samples by FTIR and chemometric techniques 401
Insa, S., see Juanola, R. 291
Isabel Spranger, M.
—, Cristina Clímaco, M., Sun, B., Eiriz, N., Fortunato, C., Nunes, A., Conceição Leandro, M., Luísa Avelar, M. and Pedro Belchior, A.
Differentiation of red winemaking technologies by phenolic and volatile composition 151

Jiao, C.-X., see Yang, Y. 385
Juanola, R.
—, Guerrero, L., Subirà, D., Salvadó, V., Insa, S., Garcia Regueiro, J.A. and Anticó, E.
Relationship between sensory and instrumental analysis of 2,4,6-trichloroanisole in wine and cork stoppers 291

Kerényi, Z., see Miklósy, E. 177
Kidrič, J., see Košir, I.J. 277
Kim, I.S., see Shen, J.Y. 451
Kim, M.R., see Shen, J.Y. 451
Košir, I.J.
—, Lapornik, B., Andrenšek, S., Wondra, A.G., Vrhovšek, U. and Kidrič, J.
Identification of anthocyanins in wines by liquid chromatography, liquid chromatography-mass spectrometry and nuclear magnetic resonance 277
Kubáň, V., see Štěrbová, D. 435
Kwiatkowski, M., see Vidal, S. 57
Kwiatkowski, M.J., see Cozzolino, D. 73

Lapornik, B., see Košir, I.J. 277
Lee, C.J., see Shen, J.Y. 451

Lee, G.-C.
— and Woodruff, D.L.
Beam search for peak alignment of NMR signals 413
Lee, K.B., see Shen, J.Y. 451
Legrand, V., see Afifi, M. 21
Lei, C.-X.
—, Yang, Y., Wang, H., Shen, G.-L. and Yu, R.-Q.
Amperometric immunosensor for probing complement III (C_3) based on immobilizing C_3 antibody to a nano-Au monolayer supported by sol–gel-derived carbon ceramic electrode 379
León, D., see Ayestarán, B. 29
Lima, D.L.D., see Esteves, V.I. 163
Lima, J.L.F.C., see Segundo, M.A. 3
Lima, S.S.F., see Esteves, V.I. 163
Liu, W., see Zhang, Z. 417
Liu, Z.-M., see Yang, Y. 385
López-Sabater, M.C., see Romeu-Nadal, M. 457
Lourenço, S., see Pissarra, J. 215
Lucchese, Y., see Prouteau, C. 223
Lupu, A.
—, Compagnone, D. and Palleschi, G.
Screen-printed enzyme electrodes for the detection of marker analytes during winemaking 67
Luís, C., see Mateus, N. 135
Luísa Avelar, M., see Isabel Spranger, M. 151

Magearu, V., see Rotariu, L. 119
Maia, J.S., see Oliveira, J.M. 269
Malik, P., see Gupta, B. 463
Marques, J.C., see Câmara, J.S. 203
Marques, J.C., see Varandas, S. 351
Martinelli, E., see Di Natale, C. 49
Martino, N., see Tamborra, P. 299
Martins, L., see Ratola, N. 319
Maswadeh, W.M., see Peter Snyder, A. 365
Matějíček, D., see Štěrbová, D. 435
Mateus, N.
—, Carvalho, E., Luís, C. and de Freitas, V.
Influence of the tannin structure on the disruption effect of carbohydrates on protein–tannin aggregates 135
Mateus, N., see Carvalho, E. 97
Mateus, N., see Pissarra, J. 215
Mazauric, J.P., see Salas, E. 325
Mendonça, C., see Serra, R. 41
Meudec, E., see Salas, E. 325
Meyer, U., see Dewey, F.M. 11
Micheli, L., see Esti, M. 357
Miklósy, E.
— and Kerényi, Z.
Comparison of the volatile aroma components in noble rotted grape berries from two different locations of the Tokaj wine district in Hungary 177
Mirabel, M., see Vivas, N. 247
Mohammadi, A., see Bagheri, H. 445
Monje, M.-C., see Afifi, M. 21
Monje, M.-C., see Farines, V. 103
Morales, M.L., see Tesfaye, W. 239
Moreira, J.L.
— and Santos, L.
Spectroscopic interferences in Fourier transform infrared wine analysis 263
Moreira, N.
—, Guedes de Pinho, P. and Vasconcelos, I.
Method for analysis of heavy sulphur compounds using gas chromatography with flame photometric detection 183
Morera-Pons, S., see Romeu-Nadal, M. 457
Moscone, D., see Esti, M. 357
Moutounet, M., see González-Neves, G. 191, 197
Moutounet, M., see Schneider, R. 91

Natera, R., see Castro, R. 141
Navas Gracia, L., see Alamo Sanza, M. 229
Nepveu, F., see Afifi, M. 21
Nepveu, F., see Farines, V. 103
Nepveu, F., see Prouteau, C. 223
Nevares Domínguez, I., see Alamo Sanza, M. 229
Noble, A., see Vidal, S. 57
Nonier, M.-F., see Vivas, N. 247
Nunes, A., see Isabel Spranger, M. 151

Odete Maia, M., see Oliveira, J.M. 269
Oliveira, J.M.
—, Araújo, I.M., Pereira, O.M., Maia, J.S., Amaral, A.J. and Odete Maia, M.
Characterization and differentiation of five "*Vinhos Verdes*" grape varieties on the basis of monoterpenic compounds 269
Ortega-Heras, M.
—, González-Huerta, C., Herrera, P. and González-Sanjosé, M.L.
Changes in wine volatile compounds of varietal wines during ageing in wood barrels 341

Palleschi, G., see Esti, M. 357
Palleschi, G., see Lupu, A. 67
Palma, M., see Piñeiro, Z. 209
Paolesse, R., see Di Natale, C. 49
Parker, M., see Cozzolino, D. 73
Patz, C.-D.
—, Blieke, A., Ristow, R. and Dietrich, H.
Application of FT-MIR spectrometry in wine analysis 81
Pedro Belchior, A., see Isabel Spranger, M. 151
Pennazza, G., see Di Natale, C. 49
Pereira, O.M., see Oliveira, J.M. 269
Pereira, R., see Caldeira, I. 125
Peter Snyder, A.
—, Maswadeh, W.M., Tripathi, A., Eversole, J., Ho, J. and Spence, M.
Orthogonal analysis of mass and spectral based technologies for the field detection of bioaerosols 365
Pietri, A., see Serra, R. 41
Piñeiro, Z.
—, Palma, M. and Barroso, C.G.
Determination of terpenoids in wines by solid phase extraction and gas chromatography 209
Pissarra, J.
—, Lourenço, S., González-Paramás, A.M., Mateus, N., Santos-Buelga, C. and De Freitas, V.
Formation of new anthocyanin-alkyl/aryl-flavanol pigments in model solutions 215
Poncet-Legrand, C., see Salas, E. 325
Prouteau, C.
—, Schneider, R., Lucchese, Y., Nepveu, F., Renard, R. and Vaca-Garcia, C.
Improving headspace-solid-phase microextraction of 3-isobutyl-2-methoxypyrazine by experimental design with regard to stable isotope dilution gas chromatography–mass spectrometric analysis of wine 223

Rangel, A.O.S.S., see Segundo, M.A. 3
Ratola, N.
—, Martins, L. and Alves, A.
Ochratoxin A in wines-assessing global uncertainty associated with the results 319
Renard, R., see Prouteau, C. 223
Ristow, R., see Patz, C.-D. 81
Rivas-Gonzalo, J.C., see Alcalde-Eon, C. 305

Rivas-Gonzalo, J.C., see González-Manzano, S. 283
Rocha, S.M.
—, Rodrigues, F., Coutinho, P., Delgadillo, I. and Coimbra, M.A.
Volatile composition of Baga red wine. Assessment of the identification of the would-be impact odourants 257
Rodrigues, F., see Rocha, S.M. 257
Romeu-Nadal, M.
—, Morera-Pons, S., Castellote, A.I. and López-Sabater, M.C.
Comparison of two methods for the extraction of fat from human milk 457
Rotariu, L.
—, Bala, C. and Magearu, V.
New potentiometric microbial biosensor for ethanol determination in alcoholic beverages 119
Roustan, J.-P., see Afifi, M. 21
Rutledge, D.N., see Delgadillo, I. 1

Salas, E.
—, Atanasova, V., Poncet-Legrand, C., Meudec, E., Mazauric, J.P. and Cheynier, V.
Demonstration of the occurrence of flavanol–anthocyanin adducts in wine and in model solutions 325
Salemi, A., see Bagheri, H. 445
Salvadó, V., see Juanola, R. 291
Santos, L., see Moreira, J.L. 263
Santos-Buelga, C., see Alcalde-Eon, C. 305
Santos-Buelga, C., see González-Manzano, S. 283
Santos-Buelga, C., see Pissarra, J. 215
Sauvain, M., see Farines, V. 103
Schneider, R.
—, Charrier, F., Moutounet, M. and Baumes, R.
Rapid analysis of grape aroma glycoconjugates using Fourier-transform infrared spectrometry and chemometric techniques 91
Schneider, R., see Prouteau, C. 223
Segundo, M.A.
—, Lima, J.L.F.C. and Rangel, A.O.S.S.
Automatic flow systems based on sequential injection analysis for routine determinations in wines 3
Serra, R.
—, Mendonça, C., Abrunhosa, L., Pietri, A. and Venâncio, A.
Determination of ochratoxin A in wine grapes: comparison of extraction procedures and method validation 41
Shen, G.-L., see Lei, C.-X. 379
Shen, G.-L., see Yang, Y. 385
Shen, J.Y.
—, Kim, M.R., Lee, C.J., Kim, I.S., Lee, K.B. and Shim, J.H.
Supercritical fluid extraction of the fluoroquinolones norfloxacin and ofloxacin from orally treated-chicken breast muscles 451
Shim, J.H., see Shen, J.Y. 451
Sielemann, S., see Vautz, W. 393
Silva Ferreira, A.C.
— and Guedes de Pinho, P.
Nor-isoprenoids profile during port wine ageing—influence of some technological parameters 169
Spence, M., see Peter Snyder, A. 365
Štěrbová, D.
—, Matějíček, D., Vlček, J. and Kubáň, V.
Combined microwave-assisted isolation and solid-phase purification procedures prior to the chromatographic determination of phenolic compounds in plant materials 435
Subirà, D., see Juanola, R. 291
Sun, B., see Isabel Spranger, M. 151
Sun, M., see Zhang, Z. 417

Tamborra, P.
—, Martino, N. and Esti, M.
Laboratory tests on glycosidase preparations in wine 299
Teixeira, M.J.
—, Aguiar, A., Afonso, C.M.M., Alves, A. and Bastos, M.M.S.M.
Comparison of pesticides levels in grape skin and in the whole grape by a new liquid chromatographic multiresidue methodology 333
Teixeira, M.J., see Varandas, S. 351
Telo, J.P., see Farines, V. 103
Tesfaye, W.
—, Morales, M.L., Benítez, B., García-Parrilla, M.C. and Troncoso, A.M.
Evolution of wine vinegar composition during accelerated aging with oak chips 239
Tessore, A., see González-Neves, G. 191
Tripathi, A., see Peter Snyder, A. 365
Troncoso, A.M., see Fernández-Pachón, M.S. 113
Troncoso, A.M., see Tesfaye, W. 239

Vaca-Garcia, C., see Prouteau, C. 223
Varandas, S.
—, Teixeira, M.J., Marques, J.C., Aguiar, A., Alves, A. and Bastos, M.M.S.M.
Glucose and fructose levels on grape skin: interference in *Lobesia botrana* behaviour 351
Vasconcelos, I., see Moreira, N. 183
Vautz, W.
—, Sielemann, S. and Baumbach, J.I.
Determination of terpenes in humid ambient air using ultraviolet ion mobility spectrometry 393
Venâncio, A., see Serra, R. 41
Vidal, S.
—, Francis, L., Noble, A., Kwiatkowski, M., Cheynier, V. and Waters, E.
Taste and mouth-feel properties of different types of tannin-like polyphenolic compounds and anthocyanins in wine 57
Villaño, D., see Fernández-Pachón, M.S. 113
Vivas, N.
—, Nonier, M.-F., de Gaulejac, N.V., Absalon, C., Bertrand, A. and Mirabel, M.
Differentiation of proanthocyanidin tannins from seeds, skins and stems of grapes (*Vitis vinifera*) and heartwood of Quebracho (*Schinopsis balansae*) by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry and thioacidolysis/liquid chromatography/electrospray ionization mars spectrometry 247
Vlček, J., see Štěrbová, D. 435
Volpe, G., see Esti, M. 357
Vrhovšek, U., see Košir, I.J. 277

Wang, H., see Lei, C.-X. 379
Waters, E., see Vidal, S. 57
Wondra, A.G., see Košir, I.J. 277
Woodruff, D.L., see Lee, G.-C. 413

Yang, H.-F., see Yang, Y. 385
Yang, X., see Yang, Y. 385
Yang, Y., see Lei, C.-X. 379
Yang, Y.
—, Yang, X., Jiao, C.-X., Yang, H.-F., Liu, Z.-M., Shen, G.-L. and Yu, R.-Q.
Optical sensor for berberine utilizing its intrinsic fluorescence enhanced by the formation of inclusion complex with butylated-β-cyclodextrin 385
Yu, H., see Zhang, Z. 417
Yu, R.-Q., see Lei, C.-X. 379
Yu, R.-Q., see Yang, Y. 385

Zhang, W.-N., see He, H.-B. 481
Zhang, Z.
—, Chen, S., Yu, H., Sun, M. and Liu, W.
Simultaneous determination of arsenic, selenium, and mercury by Ion exchange-vapor generation-inductively coupled plasma-mass spectrometry 417

Vol. 513
Iss. 1
JUN 18

2004